| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 17 | 26 | ((push$4 displac$5 mov$5 load$4 forc$4 pressur$4 ) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 compar$4 quality check$4 asses$4) near4 ( cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/29 16:53 |
| - | 3 | 6508138.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 10:49 |
| - | 6 | ("4937523" \| "5214376" \| "5742161" \| "5789918" \| "5793201" \| "5801530").PN. | USPAT | 2004/10/27 16:44 |
| - | 360 | 73/818.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/27 16:47 |
| - | 822 | 73/865.8.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/27 16:47 |
| - | 17765 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 11:49 |
| - | 10634 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member·means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location) ) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:17 |
| - | 8332 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 11:48 |
| - | 7961 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 11:49 |
| - | 3230 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 11:52 |

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

| - | 1405 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco ) near6 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 12:16 |
| - | 1334 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco ) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 12:17 |
| - | 283 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco ) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:12 |
| - | 247 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco ) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:16 |
| - | 186 | ((((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) near6 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location)) near4 ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco ) near4 ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand))).clm. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:17 |
| - | 352 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) and ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location) ) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:21 |

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

| | | | | |
|---|---|---|---|---|
| - | 257 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location) ) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:31 |
| - | 1 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part)))) same ((measur$4 determin$4 detect$4 sens$4 monitor$4 asses$4 estimat$4 meter$4) near4 (position mov$4 displace$5 point location) ) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 (member means element part))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near4 cigaret$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:35 |
| - | 16255 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:55 |
| - | 487 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:51 |
| - | 22 | (((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4))) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:52 |
| - | 22 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4) near4 cigaret$4)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:56 |
| - | 22 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand)) same ((transducer sensor) or ((test$4 monitor$4 meter$4 sens$4 asses$4)) near4 cigaret$4) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 14:57 |
| - | 100127 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:13 |
| - | 5 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:33 |
| - | 3 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) same ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5) near6 signal) same ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:14 |
| - | 95 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 (rod cylind$5 cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:37 |

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp

| - | | 1 | ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 ( cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:39 |
|---|---|---|---|---|---|
| - | | 1 | ((push$4 displac$5 mov$5 load$4 forc$4 pressur$4 ) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((push$4 displac$5 mov$5) near4 (rod bar stick billet scepter wand) near4 (deflect$4 bend$4 fold$4 flex$5)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 ( cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/28 15:48 |
| - | | 4 | 4733673.URPN. | USPAT | 2004/10/28 15:46 |
| - | | 24 | ((push$4 displac$5 mov$5 load$4 forc$4 pressur$4 ) near4 (rod bar stick billet scepter wand) near6 (transducer sensor)) and ((test$4 monitor$4 meter$4 sens$4 evaluat$4 check$4 asses$4) near4 ( cigarette cigaret tobacco )) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/10/29 16:51 |

C:\APPS\EAST\Workspaces\process and apparatus for checking rod like.wsp